IN SITU THERMAL PROCESSING OF A HYDROCARBON CONTAINING FORMATION HAVING A SELECTED TOTAL ORGANIC CARBON CONTENT Inventors: Maher et al.

U.S. Pat. Appl. No.: 09/841,287 Title:






FIG. 23a




FIG. 23b







FIG. 31



Inventors: Maher et al. U.S. Pat. Appl. No.: 09/841,287





SELECTED TOTAL ORGANIC CARBON CONTENT
liventors: Maher et al.
U.S. Pat. Appl. No.: 09/841,287






FIG. 66






FIG. 67

Inventors: Maher et al. U.S. Pat. Appl. No.: 09/841,287









Title:

Inventors: Maher et al. U.S. Pat. Appl. No.: 09/841,287





Inventors: Maher et al. U.S. Pat. Appl. No.: 09/841,287






FIG. 76



Title:



IN SITU THERMAL PROCESSING OF A HYDROCARBON CONTAINING FORMATION HAVING A SELECTED TOTAL ORGANIC CARBON CONTENT Title: Inventors: Maher et al. U.S. Pat. Appl. No.: 09/841,287 T (°C) 560 441 352 283 10 3361 1.0 3362 3363 -3364 0.1 Olefins/Paraffins Ratio 3360 3366 0.01 3368

0.001

1

1.2

 $\frac{1}{T} \times 10^{3} (K^{-1})$ FIG. 97

1.6

1.8

1.4